

Overview

Product information



Relay module-DM72-RME-08-PN-1-4A-00A(H)-30030000090

Solid State Relay Module,4 relays can be installed,with relay Socket,with indicator light,panasonic relay,PNP or NPN signal can be input (Please contact us for relay replacement)

Product advantages

- ☑ Each signal channel and power supply voltage have LED status indicators
- ☑ Ultra-small solid state relay, with a set of normally open contacts, one-to-one output at the output
- ☑ Suitable for NPN, PNP controller
- ☑ 适Freewheeling diode for each signal path
- ☑ Suitable for AC load

Product certification

_		
Tec	hnical	l data

Product drawing

3D model

Overview

Installation location	Arbitrary
Number of channels	8
Shell Insulation Materials	PVC/PA66
color	green

Dimension

width	90mm
Height	60mm
length	62mm

Enter technical data

Rated input voltage	20VDC~ 28VDC
Input voltage range relative to UN	0.91.1
protected name	Polarity protection
Protection circuits/components	Polarity Protection Diode
Status display/channel	green

Export technical data

contact type	1NO
Maximum switching voltage	75~264VAC
Limit continuous current	2A
Fault monitoring (open circuit/short circuit)	no

output connection data

connection name	output
Connection method	screw connection
Stripping length	6-7mm
thread	M3
connection volume	1
number of digits	16
Hard conductor cross section	1.0 2.5mm²
Flexible conductor cross section	1.0 2.5mm²
Connectable guide cross section AWG	2812AWG

Enter connection data

connection name	enter
Connection method	screw connection
Stripping length	6-7mm

thread	M3
connection volume	1
number of digits	10
Hard conductor cross section	1.0 2.5mm²
Flexible conductor cross section	1.0 2.5mm²
Connectable guide cross section AWG	2812AWG

Environmental data

Ambient temperature (operation)	-20 °C 70 °C
Ambient temperature (storage / transport)	-20 °C 70 °C

Standards/Regulations

Standards/Regulations	IEC61810
Pollution level	3
Overvoltage category	Ш

Accessories

Order number	3003000090
Packing unit	4
Minimum order quantity	4
Products weight (without packaging)	128