

#### Overview

#### Product information



# MEAC-T-032A-V1-5.0M-22020000096

AC charging cable with vehicle charging plug and free outlet for fast charging of electric vehicles (EVs) with alternating current (AC) via a type 2 vehicle jack for installation at EV charging stations (EVSE)

#### Product advantages

☑All Degson's vehicle AC plugs and power supply AC plugs adopt a unified design

☑The surface of power and signal contacts are silver-plated

☑Certified to IATF 16949:2016 system

☑Ergonomic handle with additional rubber grip assembly for easy handling

#### Product certification







#### Technical data

D 4	
Product	drawing

3D model

#### **Environmental conditions**

Maximum altitude	5000m(Above sea level )
Ambient temperature (operation)	-30 °C ~ 50 °C
IP class	IP54 (protection cover)

#### Electrical characteristics

Maximum charge power	24KW
Phase	1
Power pin quantity	3

Rated current of high-power contacts	32
Power contact rated voltage	440
Quantity of signal contacts	2
Signal contact rated current	2
Signal contact rated voltage	24
Signal contact rated voltage	30
Resistance coding	220Ω
Temperature measurement	PT1000

### Mechanical properties

Insertion force	< 100N
Pull out force	< 100N

### Marking material

Shell color	black
EV charger color	black
Cover color	black
Customization basis	Provided according to customer requirements
Handle material area	Plastic
Protective cover material	Soft plastic
Flammability rating	VO
Contact surface material	Ag

## **Environmental Product Compliance**

China RoHS	conform	

## Cable

	5*6mm²+1*0.75mm²
Cable composition	3*10AWG+1*18AWG

Wiring standard	EN50620		
willing standard	IEC62893.3		
Wiring level	5 class		
	CE		
Certification	СВ		
	TUV		
Cable outer diameter	16.2±0.5mm		
Wire type	Straight line		
Cable resistance	≤ 0.0033 $\Omega$ /m (Based on the power core, at an ambient temperature of 20°C)		
Outer sheath,color	black		
Minimum bend radius	97.2 mm		
Outer sheath, material	PUR		

## Dimension

Vehicle connector height	79mm(Vehicle charging connector)
Vehicle connector depth	222.3mm(Vehicle charging connector)
Cable length	5000±50mm
Strip length	100±10mm
width	70mm

Accessories				

Business data	
Order number	22020000096
Packing unit	5pcs/box
Minimum order quantity	5

Products weight (without packaging)

13.65