

### Overview

#### **Product information**



# FMET-03P-13020000254

DIN rail housings, Complete housing with metal foot catch,tall design, with vents, Width: 17.7mm, Unable to compatible bus connector,color:green,material:PA66,Flammability rating:V0,IP class:IP20.

### Product advantages

☑Modular design

 ${\bf \begin{tabular}{l} $\boxtimes$ Multiple connection technologies optional, signal, data, and power transmission can be realized } \\$ 

☑bus connector is optional

☑Various personalized solutions can be achieved according to customer needs

Product certification

### Technical data

## Product drawing

3D model

### Dimensions

width	17.7mm
length	99.7mm
Height	114.7mm
Depth from top edge of DIN rail	107.7mm

#### PCB data

Number of PCB holders	2
PCB thickness	1.8mm
Installation location	Vertical (horizontal DIN rail)
PCBType of installation	Latching

tem properties			
IP class	IP20		
Connection levels	2(Both sides)		
with ventilation openings	Yes		
Maximum connection 12 (pitch 5.08mm)			
Material data			
color	green		
Material	PA66		
Flammability rating	VO		
Environmental data			
Ambient temperature (assembly)	-5℃~ +105℃		
Ambient temperature (operation)	-40℃~ +105℃		
Ambient temperature (storage / transport)	-40℃~ +55℃		

Accessories  PCB Plug  2EDGKF-5.0-03P-14-00A(H)  PCB Socket  2EDGLF-5.0-03P-14-00A(H)	Accessories	
	Accessories	
PCB Socket 2EDGLF-5.0-03P-14-00A(H)	PCB Plug	2EDGKF-5.0-03P-14-00A(H)
	PCB Socket	2EDGLF-5.0-03P-14-00A(H)

susiness data	
Order number	13020000254
Packing unit	24CS
Minimum order quantity	24
Products weight (without packaging)	46.8